


OPERATING MANUAL



LIMIT

Precision Made Easy




30 mm



20°

CB 83/20
1 90/20
2 113/20
C 73/20

35 RPM



QUICK USER GUIDE

Operation

- 1) **ON/OFF**: Pressing this key turns on the scale and turns off the scale.
- 2) **Z/T**: Press this key to return to zero.
- 3) **MODE**: Press this key to change the weighing unit.
- 4) **C**: Pressing this key to enter the counting function.

Calibration

- 1) When the scale is on, press and hold **MODE** key until the LCD will show "CAL" and then the reading of calibration weight.
- 2) Gently place the calibration weight on the scale and wait 3 seconds, the LCD will show "PASS".
- 3) Gently remove the weight until from the platform and turn off the power.

The calibration procedure has completed.

For best results, calibrate the scale at regular intervals. This is especially important in the scale is in use for prolonged periods.

MAX: 500g d=0.1g

Pocket Scale

Limit LLEM 7-0.5

80/50

80/50

83/20
90/20

Pocket scale with simple counting function and other functions.

Capacity 500 g × 0.1 g. Large LCD touch display with blue backlight. Battery included.

GB

- Capacity 500 g × 0.1 g.
- Multifunction pocket scale.
- Units: g, ct, dwt, oz, ozt.
- Load plate in stainless steel, 60 × 60 mm.
- Simple counting function.
- Large touch panel LCD display with blue backlight.
- Function keys, ON/OFF, Zero/Tare, Mode and Count.
- Battery is included.


Fickvåg med enkel räkningsfunktion. Kapacitet 500 g × 0,1 g. Stor LCD touch display med blå bakgrundsbelysning. Batteri ingår.

SE

- Kapacitet 500 × 0,1 g.
- Multifunktion fickvåg.
- Enheter: g, ct, dwt, oz, ozt.
- Vågplatta i rostfritt stål, 60 × 60 mm.
- Enkel räknefunktion.
- Stor touch LCD display med blå bakgrundsbelysning.
- Funktionsknappar, ON/OFF, Zero/Tare, Mode och Count.
- Batteri ingår.




AB 60 mm
 LD 12 mm
 C1 55 mm



CB 83/20
 1 90/20
 2 113/20
 C 73/20

35 RPM



LIMIT

Precision Made Easy

80/50

80/50

+46 322-60 60 00

info@limit.se

limit-tools.com

83/20
 90/20