

GASOLFLASKA 2012 34590208

Last changed: 28/06/2012

Internal No: 34590208

1 Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name / designation GASOLFLASKA 2012 34590208

1.2 Relevant identified uses of the substance or mixture and uses advised against RELEVANT IDENTIFIED USES Gases

Vendor art. number

2012

1.3 Details of the supplier of the safety data sheet

NATIONAL MANUFACTURER/IMPORTER

Enterprise	SIEVERT AB
Address	BOX 1366
Postal code	171 26 SOLNA
Country	Sverige
Telephone	+46 8 629 2211

2 Hazards identification

2.1 Classification of the substance or mixture

DPD Classification:

F+; R12

CLP Classification:

Flam. Gas 1H220

Most important HSE hazard effects: Extremely flammable gas.

2.2 Label elements



Signal word: None

EC-Label: No

COMPOSITION

Etylmerkaptan (5 - 11 ppm), PROPAN (> 95 %), Butan (< 5 %), Etan (< 5 %)

H Statements

H220 Extremely flammable gas.

P Statements

, otatoi	
P102	Keep out of reach of children.
P403	Store in a well-ventilated place.
P210	Not translated to English

2.3 Other hazards



GASOLFLASKA 2012 34590208

Last changed: 28/06/2012

Internal No: 34590208

3 Composition/information on ingredients

3.2 Mixtures						
Ingredient name	Reg.No	EC No.	CAS No.	Conc. (wt%)	DPD-Classification	CLP-classification
Etylmerkaptan		200-837-3	75-08-1	5 - 11 ppm	F,R11	Flam. Liq. 2 H225
PROPAN		200-827-9	74-98-6	> 95 %	F+,R12	Flam. Gas 1 H220
Butan		203-448-7	106-97-8	< 5 %	F+,R12	Flam. Gas 1 H220
Etan		200-814-8	74-84-0	< 5 %	F+,R12	Flam. Gas 1 H220

Full text of R-, H- and EUH-phrases: see section 16.

The EUH hazard statements mentioned in CLP-classification are only label elements.

4 First aid measures

4.1 Description of first aid measures

INHALATION

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

INGESTION

Consult a doctor if symptoms should occur.

SKIN CONTACT

In the event of frostbite, rinse immediately with lukewarm water until blood circulation is restored (colour is restored). Contact physician.

EYE CONTACT

Important! Immediately rinse with water for at least 15 minutes. Get medical attention if any discomfort continues.

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

5 Fire-fighting measures

5.1 Extinguishing media

SUITABLE EXTINGUISHING MEDIA:

Extinguishing agent: carbon dioxide, powder or sand.

UNSUITABLE EXTINGUISHING MEDIA

Do not use water.

5.2 Special hazards arising from the substance or mixture

5.3 Advice for fire-fighters

6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures PERSONAL PRECAUTIONS

Wear necessary protective equipment. Keep trespassers away from danger area. Keep the emission separate from sources of ignition.



GASOLFLASKA 2012 34590208

Last changed: 28/06/2012

Internal No: 34590208

6.2 Environmental precautions

6.3 Methods and material for containment and cleaning up

METHODS AND MATERIAL

Use only in well-ventilated areas. Do not use water.

6.4 Reference to other sections

7 Handling and Storage

7.1 Precautions for safe handling

PRECAUTION FOR SAFE HANDLING

Use only in well-ventilated areas. Eliminate all sources of ignition. No smoking. Take precautionary measures against static discharges. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.

7.2 Conditions for safe storage, including any incompatibilities CONDITION FOR SAFE STORAGE, INCLUDING ANY UNCOMPATIBILITIES

Keep in a dry, cool and well-ventilated place. Avoid high temperatures and direct sunlight.

7.3 Specific end uses

8 Exposure controls / Personal protection

8.1 Control parameters

8.2 Exposure controls

9 Physical and chemical Properties

9.1 Information on basic physical and chemical properties

PHYSICAL STATE Gas.

COLOUR	Colourlass
COLOUR	Colourless.

ODOUR Odourless.

WATER SOLUBILITY Insoluble in water.



GASOLFLASKA 2012 34590208

Last changed: 28/06/2012

Internal No: 34590208

Parameter	Value/unit	Method/reference	Observation
pH consentrate	No data		
pH in solution	No data		
Melting point	No data		
Freezing point	No data		
Initial boiling point and boiling range	~ -45 °C		
Flash point	No data		
Evaporation rate	No data		
Flammability (solid, gas)	No data		
Flammability limits	No data		
Explotion limits	2,2 - 10 %		
Vapour pressure	9 mbar	20°C	
Vapour density	No data		
Relative density	No data		
Partition coefficient	No data		1)
Auto-ignition temprature	No data		
Decomposition temprature	No data		
Viscosity	No data		

9.2 Other safety information Parameter Value/unit Method/reference Observation

Farameter	value/ unit	Methody reference	Observation
Density	0,5 g/cm ³	20°C	
Note no.	Comments		

Note no.	Comments
1	Not translated to English
	- · · · ·

10 Stability and Reactivity

10.1 Reactivity

10.2 Chemical stability

CHEMICAL STABILITY

Stable under recommended storage and handling conditions.

10.3 Possibility of hazardous reactions

10.4 Conditions to avoid

10.5 Incompatible materials

10.6 Hazardous decomposition products:

11 Toxicological information

11.1 Toxicological effects

ACUTE TOXICITY - DERMAL

May cause frostbite.

ACUTE TOXICITY - INHALATION

May have a numbing or narcotic effect. At high contents, unconsciousness, and at very high contents, suffocation due to oxygen deficiency. Risk of fatality.

12 Ecological information

12.1 Toxicity



GASOLFLASKA 2012 34590208

Last changed: 28/06/2012

Internal No: 34590208

12.2 Persistence and degradability

12.3 Bioaccumulative potential

12.4 Mobility in soil

12.5 Results of PBT and vPvB assessment

12.6 Other adverse effects

13 Disposal considerations

13.1 Waste treatment methods

GENERAL REGULATIONS

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Must not be discharged into the sewage system. Dump or destroy in accordance with official recommendations and applicable legislation.

14 Transport information

tank-vessels

Classified as Dangerous Goods: Yes

Land transpor	t (ADR/RID)		
14.1 UN-No.	1965	14.4 Packing	
		group	
14.2 Proper	Not translated to English	14.5	
Shipping		Environmental	
Name		hazards	
14.3	2		
Class(es)			
Hazard	2.1		
label(s)			
Hazard ID:		Tunnel	
		restriction	
		code	
Inland water v	ways transport (ADN)		

14.1 UN-No.	1965	14.4 Packing
14.2 Proper Shipping Name	Not translated to English	group 14.5 Environmental hazards
14.3 Class(es)	2	
Enviromentally hazardous in		

Sea transport	(IMDG)		
14.1 UN-No.	1965	14.4 Packing	
		group	
14.2 Proper		14.5	
Shipping		Environmental	
Name		hazards	
14.3	2		
Class(es)			
Sub Risk:			
IMDG Code			
segregation			
group			
Marine	No		
pollutant			
EMS:			



GASOLFLASKA 2012 34590208

Last changed: 28/06/2012

Internal No: 34590208

Air transport (ICAO-TI / IATA-DGR)

14.1 UN-No.

14.2 Proper Shipping Name 14.3 Class(es) Hazard Iabel(s) 14.4 Packing group 14.5 Environmental hazards

15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2 Chemical Safety Assessment

16 Other information

LIST OF F	RELEVANT R-PHRASES
R11	Highly flammable.
R12	Extremely flammable.

LIST OF RELEVANT H-STATEMENTS

H220 Extremely flammable gas. H225 Highly flammable liquid and vapour.